

ISSN 2412-0324 (English ed. Online)
ISSN 0131-6397 (Russian ed. Print)
ISSN 2313-4836 (Russian ed. Online)

AGRICULTURAL BIOLOGY

Since January, 1966

PLANT
BIOLOGY

Vol. 50, Issue 5
September-October

2015 Moscow



85 Anniversary of ARRIAM

Sergei P. Kostychev (1877-1931), the founder and first director



EDITORIAL BOARD

I.V. SAVCHENKO (Moscow, Russia) — Chairman (plant biology)

ANANYINA V.M. (Moscow, Russia)	KORPELA T. (Turku, Finland)
BESPALOVA L.A. (Krasnodar, Russia)	LITVINOV S.S. (Moscow, Russia)
CHAIKA A.K. (Primorskii Krai, Russia)	LUGTENBERG E.J.J. (Leiden, The Netherlands)
DRAGAVTSEV V.A. (St. Petersburg, Russia)	LUKOMETS V.M. (Krasnodar, Russia)
DZYUBENKO N.I. (St. Petersburg, Russia)	PIVOVAROV V.F. (Moscow, Russia)
FEDOROVA L.M. (editor-in-chief) (Moscow, Russia)	SANDUKHADZE B.I. (Moscow, Russia)
GONCHARENKO A.A. (Moscow, Russia)	SEDOV E.N. (Orel, Russia)
GONCHAROV P.L. (Novosibirsk, Russia)	SHABALA S. (Tasmania, Australia)
GORBACHEV I.V. (Moscow, Russia)	TIGERSTEDT P.M.A. (Esbo, Finland)
KHARITONOV E.M. (Krasnodar, Russia)	TIKHONOVICH I.A. (St. Petersburg, Russia)
KHOTYLEVA L.V. (Minsk, Belorussia)	

Science editors: E.V. Karaseva, L.M. Fedorova

Address: build. 11, office 343, Dmitrovskoe sh., Moscow, 127434 Russia

Tel/fax: + 7 (499) 977-88-19, + 7 (499) 976-32-73

E-mail: agrobiol@mail.ru **Internet:** <http://www.agrobiology.ru>

Covered in Scopus, Web of Science (BIOSIS Previews, Biological Abstracts, Russian Citation Index), Agris

For citation: Agricultural Biology,
Сельскохозяйственная биология, Sel'skokhozyaistvennaya biologiya


© Agricultural Biology, 2015

© Сельскохозяйственная биология, 2015


ISSN 2412-0324 (English ed. Online)

ISSN 0131-6397 (Russian ed. Print)

ISSN 2313-4836 (Russian ed. Online)




Plant-microbe symbioses



Arbuscular mycorrhiza

Rhizobia-legume symbiosis (ba – bacteroid)

Bacteria associated with plant roots



preparations. Some tested microbiological preparations, primarily Batsikol, should be included in the plan of state registration trials for cabbage, potatoes, and garden strawberries.

REFERENCES

1. Yul R.J., Choi J.Y., Li M.S., Jin B.R., Je Y.H. *Bacillus thuringiensis*: as a specific, safe, and effective tool for insect pest control. *J. Microbiol. Biotechnol.*, 2007, 17(4): 547-559.
2. Sanahuja G., Banakar R., Twyman R.M., Capel T., Christou P. *Bacillus thuringiensis*: a century of research, development and commercial applications. *Plant Biotechnol. J.*, 2001, 9: 283-300 (doi: 10.1111/j.1467-7652.2011.00595.x).
3. Mohammed S.H., Saedy M.A., Enan M.R., Nasser E.I., Gareeb A., Salah A.M. Biocontrol efficiency of *Bacillus thuringiensis* toxins against root-knot nematode, *Meloidogyne incognita*. *J. Cell Mol. Biol.*, 2008, 7(1): 57-66.
4. Promdonkoy B., Chewawiwat N., Tanapongpinat S., Luxananil P., Panyim S. Cloning and characterization of a cytolytic and mosquitolarvicidal delta-endotoxin from *Bacillus thuringiensis* subsp. *darmstadensis*. *Cur. Microbiol.*, 2003, 40: 94-98.
5. Douville M., Gagné F., Blaise C., André C. Occurrence and persistence of *Bacillus thuringiensis* (Bt) and transgenic Bt corn *cry 1Ab* gene from an aquatic environment. *Ecotoxicology and Environmental Safety*, 2007, 66: 195-203 (doi: 10.1016/j.ecoenv.2006.01.002).
6. Reddy C.V.P., Tangtrakulwanich K., Wu S., Miller J., Ophus V.L., Prewett J., Jaronski S.T. Evaluation of the effectiveness of entomopathogens for the management of wireworms (*Coleoptera: Elateridae*) on spring wheat. *J. Invert. Pathol.*, 2014, 120: 43-49 (doi: 10.1016/j.jip.2014.05.005).
7. Herk W.G., Vernon R.S. Mortality of *Metarhizium anisopliae* — infected wireworms (*Coleoptera: Elateridae*) and feeding on wheat seedlings are affected by wireworm weight. *J. Entomol. Soc. Brit. Columbia*, 2011, 108: 38-40.
8. Sugian M. *Biology, monitoring and management of economically important wireworm species (Coleoptera: Elateridae) in organic farming*. Inaugural-Dissertation zur Erlangung des Grades Doktor der Agrarwissenschaften vorgelegt am 23. Zu Bonn, November 2012.
9. Ericsson J.D., Kabaluk J.T., Goettel M.S., Myers J.H. Spinosad interacts synergistically with the insect pathogen *Metarhizium anisopliae* against the exotic wireworms *Agriotes lineatus* and *Agriotes obscurus* (*Coleoptera: Elateridae*). *J. Econ. Entomol.*, 2007, 100(1): 31-38 (doi: 10.1603/0022-0493(2007)100[31:SIWITI]2.0.CO;2).
10. Kaya H.K., Aguillera M.M., Alumai A., Choo H.Y., Torre M., Fodor A., Ganguly S., Hazir S., Lakatos T., Pye A., Wilson M., Yamanaka S., Yang H., Ehlers R.-U. Status of entomopathogenic nematodes and their symbiotic bacteria from selected countries or region of the world. *Biol. Control*, 2006, 38: 134-155 (doi: 10.1016/j.biocontrol.2005.11.004).
11. Pavlova E.A., Maslova I.V. *Sel'skokhozyaistvennye vesti*, 2014, 1: 14-15.
12. *Obzor fitosanitarnogo sostoyaniya posevov sel'skokhozyaistvennykh kul'tur v Rossiiskoi Federatsii v 2014 godu i prognoz poyavleniya vrednykh ob'ektov v 2015 godu* [An overview on phytosanitary status of crops in the Russian Federation in 2014 with predicting emergency of harmful agents in 2015]. Moscow, 2014.
13. Smirnov O.V. *Patotipy Bacillus thuringiensis i ekologicheskoe obosnovanie ikh ispol'zovaniya v zashchite rastenii*. Avtoreferat doktorskoi dissertatsii [*Bacillus thuringiensis* pathotypes and ecological bases for their use in plant protection. DSc Thesis]. St. Petersburg—Pushkin, 2000.
14. Danilov L.G. *Biologicheskie osnovy primeneniya entomopatogennykh nematod (Rhabditida: Steinernematidae. Heterorhabditidae) v zashchite rastenii*. Avtoreferat doktorskoi dissertatsii [Biological background for use of entomopathogenic nematodes (*Rhabditida: Steinernematidae. Heterorhabditidae*) in plant protection. DSc Thesis]. St. Petersburg, 2001.
15. Kandybin N.V., Patyka T.I., Ermolova V.P., Patyka V.F. *Mikrobiokontrol' chislennosti nasekomykh i ego dominanta Bacillus thuringiensis* [Microbiocontrol of insects, and *Bacillus thuringiensis* as a predominate agent]. St. Petersburg—Pushkin, 2009.
16. Dobrokhotoy S.A., Pazyna L.F. V sbornike: *Biologicheskii metod v sel'skom khozyaistve Leningradskoi oblasti v 2002 godu* [In: Biomethod in agriculture of Leningrad Province in 2002]. St. Petersburg, 2002: 19-22.
17. Dobrokhotoy S.A., Glushchenko A.B., Shapoval P.V. *Zashchita i karantin rastenii*, 2006, 10: 25-26.
18. Dobrokhotoy S.A. *Sel'skokhozyaistvennye vesti*, 2008, 1: 18-19.
19. Dobrokhotoy S.A., Smirnov O.V., Grischechikina S.D., Karaev D.O. *Materialy 3-i Vserossiiskoi nauchnoi konferentsii s mezhdunarodnym uchastiem «Ekologicheskie problemy severnykh regionov i puti ikh resheniya»*. Chast' 2. [Proc. 3^d Conf. «Environmental problems in the north territories of Russia and approach to their solution». Part 2]. Appatity, 2010: 11-17.
20. Vojinovic M.Z. *Biological control of oldseed rape pests with entomopathogenic nematodes*. Doctoral Thesis in Agricultural Zoology. Helsinki, 2010.

21. Andrews N., Ambrosino M., Fisher G., Rondon S.I. Wireworm. In: *Biology and management in potatoes in the Pacific Northwest*. Oregon, 2008.
22. Wibe A., Cross J., Borg-Karlsson A.K., Hall D.R., Trandem N., Sigsgaard L., Baroffio C., Ralle B., Fountain M.T. Management of strawberry blossom weevil and European tarnished plants bug in organic strawberry and raspberry using semiochemical traps — «Softpest Multitrap». *NJF report*, 2013, 9(8): 31-32.
23. Svensson B., Hakansson T., Kronhed A., Manduric S., Winter C., Jansson J. IPM in strawberries, part 1: IPM as a collaboration between farmers, advisor and researchers. *NJF report*, 2013, 9(8): 26.
24. Sigsgaard L., Eilenberg J., Enkegaard A., Esbjerg P., Hansen E.W., Brodsgaard H., Petersen B.D. Integrating biological control measures against strawberry pests. *NJF report*, 2009, 5(9): 12.
25. Ourednickova J. Efficacy of some selected products against the strawberry blossom weevil (*Anthonomus rubi* Herbst., 1795). *Vedecke prace ovocnarske*, 2011, 22: 213-222.
26. Aasen S.S., Tranden N. Strawberry blossom weevil *Anthonomus rubi* Herbst (Col.: Curculionidae): relationships between bug damage, weevil density, insecticide use, and yield. *J. Pest. Sci.*, 2006, 79: 169-174 (doi: 10.1007/s10340-006-0131-z).
27. Berlung R. *Organic production of strawberries. Focus on practical applications. Doctoral thesis*. Alnarp, 2007.
28. Dobrokhotoy S.A., Smirnov O.V., Laptev G.Yu., Grishechkina S.D., Danilov L.G., Anisimov A.I. *Sel'skokhozyaistvennye vesti*, 2008, 4: 24-25.
29. Dobrokhotoy S.A., Anisimov A.I., Smirnov O.V. *Sel'skokhozyaistvennye vesti*, 2009, 1: 38.
30. Dobrokhotoy S.A. *Biologicheskaya zashchita chernoi smorodiny i zemlyaniki ot vrediteli. V sb. nauch. tr. SPbGAU: Nauchnoe obespechenie razvitiya APK v usloviyakh reformirovaniya* [In: Research base for agro industry development in Russia under reforming]. St. Petersburg, 2009: 86-88.
31. Dobrokhotoy S.A., Anisimov A.I., Karaev D.O. *Materialy mezhdunarodnoi nauchno-prakticheskoi konferentsii «Integrirovannaya sistema zashchity rastenii: strategiya i takтика»* [In: Research base for agro industry development in Russia under reforming]. St. Petersburg. Minsk, 2011: 19-23.
32. Parrika P., Tuovinen T., Lindkvist I., Ruuttunen P. *Zashchita rastenii v Finlyandii. Yagody i frukty (Spravochnik)* [Plant protection in Finland. Berry and fruit crops: handbook]. Mikkeli, Finlyandiya, 2012
33. Barsics F., Haubruge E., Verheggen F.J. Wireworms management: An overview of the existing methods, with particular regards to *Agriotes* spp. (Coleoptera: Elateridae). *Open Access. Insects*, 2013, 4: 117-152 (doi: 10.3390/insects4010117)
34. Dobrokhotoy S.A., Anisimov A.I., Danilov L.G., Lednev G.R. *Vestnik zashchity rastenii*, 2014, 3: 25-33.
35. Dobrokhotoy S.A., Anisimov A.I., Lavrova I.S. V sbornike nauchnykh trudov SPbGAU: *Nauchnoe obespechenie razvitiya APK v usloviyakh reformirovaniya* [In: Research base for agro industry development in Russia under reforming]. St. Petersburg, 2012: 99-102.

CONTENTS

<i>Chirkov S.N., Prikhod'ko Yu.N.</i> Genetic diversity and population structure of <i>Plum pox</i> virus in Russia (review)	529
<i>Karpun N.N., Yanushevskaya E.B., Mikhailova Ye.V.</i> Formation of plants nonspecific induced immunity at the biogenous stress (review)	540
<i>Yakushev V.P., Mikhailenko I.M., Dragavtsev V.A.</i> Reserves of agro-technologies and breeding for cereal yield increasing in the Russian Federation	550
<i>Shmykova N.A., Suprunova T.P., Pivovarov V.F.</i> Biotechnologies and molecular methods in vegetable crop breeding (to 95 th Anniversary of VNISSOK)	561
<i>Chesnokov Yu.V., Artemyeva A.M.</i> Evaluation of the measure of polymorphism information of genetic diversity	571
<i>Maletskii S.I., Yudanov S.S., Maletskaya E.I.</i> Analysis of epigenomic and epiplastome variability in the haploid and dihaploid sugar beet (<i>Beta vulgaris</i> L.) plants	579
<i>Dragavtseva I.A., Dragavtsev V.A., Efimova I.L. et al.</i> The assessment of the variety and rootstock genotypes interaction in apple (<i>Malus domestica</i> Borkh.) grafted trees using biometric methods	590
<i>Radenovich Ch., Delich N., Sechansky M. et al.</i> Maize (<i>Zea mays</i> L.) inbred lines and hybrids of Serbian selection with high efficiency of photosynthesis, rich in pigment content and increased nutritive value	600
<i>Kazantseva V.V., Goncharuk E.A., Fesenko A.N. et al.</i> Features of the phenolics' formation in seedlings of different varieties of buckwheat (<i>Fagopyrum esculentum</i> Moench)	611
<i>Chalaya L.D., Prichko T.G.</i> Changes of active compounds in apricot fruits caused by storage depend on characteristic features of varieties	620
<i>Gins M.S., Gins V.K., Kononkov P.F. et al.</i> Phenolic compounds and fructosans in yacon (<i>Polymnia sonchifolia</i> Poepp. & Endl.) cultivar introduced in Ukraine, and in other Asteraceae plants as influenced by growth conditions, viral and phytophage injury	628
<i>Sedov E.N., Makarkina M.A., Sedysheva G.A. et al.</i> 60 year bred conveyor of apple varieties, their resistance to scab and biochemical characteristics of fruits	637
<i>Levitin M.M.</i> Microorganisms and global climate change	641
<i>Chebota' V.K., Shcherbakov A.V., Shcherbakova E.N. et al.</i> Biodiversity of endophytic bacteria as a promising biotechnological resource	648
<i>Kimeklis A.K., Safronova V.I., Kuznetsova I.G. et al.</i> Phylogenetic analysis of <i>Rhizobium</i> strains, isolated from nodules of <i>Vavilovia formosa</i> (Stev.) Fed.	655
<i>Rabinovich G.Yu., Kovalev N.G., Smirnova Yu.D.</i> Application of new biofertilizers and biological products in the cultivation of spring wheat (<i>Triticum aestivum</i> L.) and potato (<i>Solanum tuberosum</i> L.)	665
<i>Roumiantseva M.L., Stepanova G.V., Kurchak O.N. et al.</i> Selection of salt tolerant alfalfa (<i>Medicago</i> L.) plants from different varieties and their morfo biological and symbiotic properties analysis	673
<i>Grishechkina S.D.</i> Mechanism and activity spectrum of microbiological preparation Batsikol with phytoprotective action	685
<i>Dobrokhotov S.A., Anisimov A.I., Grishechkina S.D. et al.</i> The main pests microbiological control in vegetable, baccate crops and potato in Leningrad Province	694

Acknowledgements:

ARRIAM publications are supported by Russian Foundation for Basic Research, grant Op 15-04-20405.