

РОССИЙСКАЯ АКАДЕМИЯ НАУК
СИБИРСКОЕ ОТДЕЛЕНИЕ

ЖУРНАЛ
СТРУКТУРНОЙ
ХИМИИ
НАУЧНЫЙ ЖУРНАЛ

Основан в 1960 г.

Выходит 8 раз в год

ТОМ 59

Июнь-июль

№ 5, 2018


СОДЕРЖАНИЕ

ОБЗОРЫ

Hakkar F., Zouchoune B.

Predicted structures and electronic properties of gallium-indium clusters $\text{Ga}_m\text{In}_{n-m}$ ($n = 4, 6, 8$ and $m < n$): A density functional study

Keywords: relative stabilities, bonding interactions, ionization potential, electron affinity, chemical hardness




ТЕОРИЯ СТРОЕНИЯ МОЛЕКУЛ И ХИМИЧЕСКОЙ СВЯЗИ

Badoğlu S., Yurdakul Ş.

Experimental and theoretical study on the new Zn(II) halide complexes of 3,5-diazaindole


Keywords: 3,5-diazaindole, metal complexes, FTIR, NMR, DFT



Ramesh G., Prashanth J., Laxman Naik J., Venkatram Reddy B.

Molecular structure, vibrational analysis, hyperpolarizability and NBO analysis of 3-methyl-picolinic acid using SQM calculations


Keywords: methyl-picolinic acid, DFT, FTIR and FT-Raman spectra, vibrational analysis, dipole moment, hyperpolarizability, NLO effect, NBO analysis



Jin Q., Jin B., Zhang Z.-H., He X.-N.

Aromaticity of the bare iridium trimers and $\text{Ir}_3\text{M}^{0/+}$ and $\text{Ir}_3\text{M}_2^{+3+}$ ($\text{M} = \text{Li}, \text{Na}, \text{K}$ and Be, Ca) bimetallic clusters

Keywords: iridium trimers, aromaticity, DFT calculation




Kazemi Z., Ghiasi R., Jamehbozorgi S.

Analysis of the interaction between C_{20} cage and cis - $\text{PtCl}_2(\text{NH}_3)_2$:

A DFT investigation of solvent effect, structures, properties and topologies


Keywords: C_{20} cage, cisplatin, energy decomposition analysis (EDA), solvent effect, quantum theory of atoms in molecules (QTAIM)



Ghiasi R.

1097

Exploring of solvent effects on the spectroscopic properties (IR and ^{13}C NMR) in the $\text{OsCl}_3(\equiv\text{CCH}_2\text{CMe}_3)(\text{Ph}_3)_2$ carbyne complex




Keywords: carbyne complex, Kirkwood–Bauer–Magat equation (KBM), solvent effect, linear solvation energy relationship (LSER)

Fereidoni S., Ghiasi R., Pasdar H.

1102

Theoretical study of solvent effect on the electronic and vibrational properties of $[\text{CpFe}(\text{CO})_2(\text{NCS})]$ and $[\text{CpFe}(\text{CO})_2(\text{SCN})]$ linkage isomers




Keyword: linkage isomers, solvent effect, natural bond orbital analysis (NBO), Kirkwood–Bauer–Magat equation (KBM), energy decomposition analysis (EDA), Quantum theory of atoms in molecules analysis (QTAIM)

Shuai Z., Li A.Y.

1110

Excited states of weak interacting complexes between formaldehyde and alkali metal ions




Keywords: excited states, time-dependent density-functional theory (TD DFT), the $\text{C}=\text{O}\cdots\text{M}^+$ interaction, infrared spectra, red shift and blue shift

Hasan T., Ghalib R.M., Mehdi S.H., Singh P.K., Kumar A., Misra N.

1111

Vibrational spectra, NBO and NLO analyses, and a molecular docking study of 3a,8a-dihydroxy-2-thioxo-1,3,3a,8a-tetrahydroindeno[1,2-d]imidazol-8(2H)-one using DFT




Keywords: 3a,8a-dihydroxy-2-thioxo-1,3,3a,8a-tetrahydroindeno[1,2-d]imidazol-8(2H)-one, vibrational analysis, DFT, NLO, NBO, molecular docking

Tong Y.-P., Liu H., Lin Y.-W.

1113

A density functional investigation of geometrical and electronic structure, charge transfer, and photoluminescent property of a zinc(II) complex with 5-amino-2-(1*H*-benzoimidazol-2-yl)-phenol




Keywords: theoretical calculation, electronic structure, photoluminescence, LLCT, zinc(II)

ИССЛЕДОВАНИЕ СТРОЕНИЯ МОЛЕКУЛ ФИЗИЧЕСКИМИ МЕТОДАМИ

Karimi P.

1117

Investigation of simultaneous cation- π and $\pi-\pi$ stacking interactions on graphene and some bent graphenes as curved surfaces of carbon nanohorns




Keywords: bent graphene, carbon nanohorns, cation- π , $\pi-\pi$ stacking, aromaticity

Yavari M., Beyramabadi A. S., Morsali A., Bozorgmehr M.R.

1137

Tautomerization reaction, experimental and theoretical characterizations of the N,N'-dipyridoxyl(4-methyl-1,2-phenylenediamine) Schiff base and its Cu(II) complex




Keywords: synthesis, Schiff base, pyridoxal, DFT, copper, assignment, NBO, tautomerization

Sudhakar C., Saravanabhan M., Sekar M., Babu B., Chandrasekaran J.

1155

Crystal structure and third order nonlinear optical studies on 2-phenylbenzimidazolium-*p*-toluenesulphonate

Keywords: 2-phenylbenzimidazolium-*p*-toluenesulphonate, nonlinear refractive index, absorption coefficient, third order nonlinear optical susceptibility




Dehghanpour H.R.

1163

High coercivity induced in nickel ferrite nanoparticles by mechanical milling

Keywords: nickel ferrite, nanoparticle, combustion, coercivity




Dridi W., Zid M.F.

1168

Crystal structure of new one-dimensional triple molybdate $\text{Na}_2\text{K}_2\text{Cu}(\text{MoO}_4)_3$

Keywords: solid state, X-ray diffraction, bond valence analysis, triple molybdate, charge distribution




Kış M., Arı M., Polat Y., Erdogan B., Karaaslan T.

1173

Structural and temperature dependent electrical conductivity properties of $\text{Dy}_2\text{O}_3\text{-Sm}_2\text{O}_3$ co-doped Bi_2O_3

Keywords: electrical conductivity, solid oxide fuel cell, solid state synthesis method, arrhenius equation, activation energy




СТРУКТУРА ЖИДКОСТЕЙ И РАСТВОРОВ

Maharolkar A.P., Murugkar A., Khirade P., Mehrotra S.

1181

Temperature dependent microwave dielectric characterization of associated liquids

Keywords: density, viscosity, Bruggeman factor, excess inverse relaxation time, excess moalr polarization




Masood S., Rehman W., Khan Z., Arshad H., Begum S., Perveen A.

1188

Structure breaking/making property of aceylline piperazine in aqueous, aqueous methanol, and aqueous ethylene glycol systems

Keywords: density, aceylline piperazine, drug, methanol, ethylene glycol, structure breaking/making



КРИСТАЛЛОХИМИЯ


Dong X.-Y., Du G.-M., Dong W.-K., An G.-X.

1198

Tetrานuclear zinc(II) and mononuclear nickel(II) complexes based on asymmetrical salamo-type ligands:

Syntheses, crystal structures, and fluorescence properties

Keywords: asymmetric Salamo-type ligand, transition metal complex, synthesis, crystal structure, spectroscopic behavior




Narulkar D.D., Srivastava A.K., Butcher R.J., Dhuri S.N.

1208

Crystal structure of mononuclear non-heme nickel(II) octahedral complex:

[Ni(bqenH₂)(bpy)](ClO₄)₂ · 0.125H₂O


Keywords: nickel(II), single crystal X-ray crystallography, bqenH₂, 2,2'-bipyridine, hydrogen bonding, centrosymmetric, monoclinic



Ghaemi A., Keyvani B., Fayyazi K., Rudbari H.A.

1216

Crystal structure of the azido-bridged copper(II) complex $[\text{Cu}_2\text{L}_2(\mu_{1,1}\text{-N}_3)_2]$ based on the 2-[(3-amino-2,2-dimethylpropylimino)-methyl]-4-bromophenol Schiff base ligand




Keywords: synthesis, Schiff base ligand, copper(II), crystal structure, 2-[(3-amino-2,2-dimethylpropylimino)-methyl]-4-bromophenol, azido-bridged, X-ray diffraction analysis

Zhang D.-H., Duan Y.-P., Liu Y.

1221

Fluorescent chemosensor for Pb^{2+} based on 1,2,4-triazole




Keywords: synthesis, 2,4-triazole, fluorescence quenching, Pb^{2+}

Kharbani D., Kurbah S.D., Rymmai E.K.

1226

Crystal structures of Ru(II) complexes with pyrazole and pyrazolate derivatives of tris(3,5-dimethylpyrazolyl)borohydride




Keyword: scorpionate degradation, pyrazole, pyrazolate-bridge, Ru(II)

Souza R.A.C., Guilardi S., Rubinger M.M.M., Terra L.R., Tavares E.C., Ellena J.A.

1232

Crystal structure of *N*-(2-cyano-1-phenylprop-2-en-1-yl)-4-methylbenzenesulfonamide




Keywords: synthesis, X-ray crystallographic analysis, allylsulfonamide, Morita-Baylis-Hillman adduct

Yin X., Wang J., Ma Q., Wang S.-M.

1235

Crystal structure and properties of bis (5-nitroimino-1,2,4-triazolate-3-yl) methane aminoguanidium salt




Keywords: nitrogen-rich salt, crystal structure, Hirshfeld surface, thermal stability

Odame F., Hosten E.C., Betz R., Lobb K., Tshentu Z.R.

1240

Characterization and computational studies of a co-crystal of 2-aminobenzimidazole and 2-[(benzoylcarbamothioyl)amino]propanoic acid




Keywords: synthesis, alanine, amino acid, co-crystal, frontier orbitals

Ustabaş R., Çoruh U., Akçay H.T., Menteşe E., Vazquez-Lopez E.M.

1245

Crystal structure of 4-[(4-ethyl-5-phenyl-4H-1,2,4-triazol-3-yl)sulfanyl]phthalonitrile




Keywords: crystal structure, 1,2,4-triazol, phthalonitrile

Delgado G.E., Osal E., Mora A.J., González T., Palma A., Bahsas A.

1249

Structural characterization of 11-ethyl-6,11-dihydro-5H-dibenzo[b,e]azepine




Keywords: synthesis [b,e]dibenzazepine, amino-Claisen rearrangement, Friedel-Crafts, X-ray crystal structure

СУПРАМОЛЕКУЛЯРНЫЕ СОЕДИНЕНИЯ И НАНОРАЗМЕРНЫЕ СИСТЕМЫ

Zhou Y., Liu X., Hu L., Wang Q., Yao M., Song B.

Solvothermal syntheses, crystal structure, and magnetic properties of a 1D Co(II) coordination polymer based on N-[tris(hydroxymethyl)methyl]glycine

Keywords: cobalt(II), N-[tris(hydroxymethyl)methyl]glycine, magnetic properties




Thirumoorthi R., Chivers T.

Structural comparison of lithium iodide complexes of symmetrical and unsymmetrical

[CH₂(PPh₂NSiMe₃)(PPh₂NR)](R = SiMe₃, H) ligands

Keywords: crystal structure, Si—N cleavage, iminophosphoranyl complexes, lithium iodide, Li₂N₂ core




Bagherolhashemi F., Bozorgmehr M.R., Momen-Heravi M.

Biosensor properties of DA—DA dinucleotide in the presence of Di—L-lysine and single carbon nanotubes:

Molecular dynamics simulation and density functional theory approach

Keywords: diffusion coefficient, carbon nanotube, Fukui indices, HOMO, LUMO



СТРУКТУРА БИОЛОГИЧЕСКИ АКТИВНЫХ СИСТЕМ

Shen Z.-H., Wang Q., Sun Z.-H., Wu H.-K., Tan C.-X.,

Weng J.-Q., Liu X.-H.

1275

Crystal structure of 2-(pyridin-4-yl)-5-(undecylthio)-1,3,4-oxadiazole




Keywords: heterocycle, synthesis, crystal structure

Kantar C., Kaya B., Türk M., Şaşmaz S.

Novel phthalocyanines containing guaiacol azo dyes:

Synthesis, antioxidant, antibacterial and anticancer activity

Keywords: phthalocyanine, azo dyes, antibacterial, antioxidant, anticancer



Содержание следующего номера — в конце журнала