

H 204

A 194.18
m. M.

ELEMENTS OF MACHINE

CONSTRUCTION AND DRAWING:

OR,

MACHINE DRAWING,

WITH SOME ELEMENTS OF DESCRIPTIVE AND RATIONAL CINEMATICS.

A Text-book for Schools of Civil and Mechanical Engineering, and for the use
of Mechanical Establishments, Artisans, and Inventors.

CONTAINING THE PRINCIPLES OF GEARING; SCREW PROPELLERS; VALVE MOTIONS, AND
GOVERNORS; AND MANY STANDARD AND NOVEL EXAMPLES, MOSTLY FROM
PRESENT AMERICAN PRACTICE.

BY


S. EDWARD WARREN, C.E.,

PROFESSOR IN THE RENSSELAER POLYTECHNIC INSTITUTE, AND AUTHOR OF A SERIES
OF WORKS ON DESCRIPTIVE GEOMETRY AND STEREOTOMY.

NEW YORK:
JOHN WILEY & SONS,
15 ASTOR PLACE.
1877.

A

Entered according to Act of Congress, in the year 1870, by
S. EDWARD WARREN, C.E.,
in the Office of the Librarian of Congress at Washington.



462005-49

TROW'S
PRINTING AND BOOKBINDING CO.,
PRINTERS,
205-213 East 12th St.,
NEW YORK.

CONTENTS.

	PAGE
PREFACE.....	xiii
SOURCES OF MATERIALS, ETC.....	xvi
ELEMENTS OF MACHINE CONSTRUCTION AND DRAWING.....	1

BOOK I.

SIMPLE, OR SINGLE ELEMENTS OF MACHINES.

PART I.

Introduction.

General principles.....	1
Scales	2
Elements of projections.....	4
Constructions of the ellipse.....	10
Special definitions.....	12
Classification of Machines.....	13
Functional classification of mechanical organs.....	15
Geometrical classification of mechanical organs.....	19
Reduction of scales.....	20

PART II.

Theorems, Problems, and Examples on Elements of Machines.

CLASS I.—SUPPORTERS.

SECTION I.—LOCAL SUPPORTERS.

A—Point Supporters.

Pillow Blocks.

EXAMPLE I.—A heavy pillow block.....	22
EXAMPLE II.—A Putnam pillow block.....	24
<i>47. Heavy lines.</i>	
EXAMPLE III.—A French pillow block.....	25

	PAGE
EXAMPLE IV. —A locomotive main axle box.....	26
48. <i>Shaft hangers.</i>	
EXAMPLE V. —A bracket hanger.....	28
EXAMPLE VI. —A self-oiling drop hanger.....	29
EXAMPLE VII. —Turbine and spindle footsteps	30
49. <i>Cold rolled shafting.</i>	

B—Line Supporters.

EXAMPLE VIII. —Locomotive guide bars and cross head.....	31
50.— <i>Progressive forms of cross heads.</i>	

C—Surface Supporters.**a—Plane Supporters.****b—Developable Supporters.**

EXAMPLE IX. —A local bed plate.....	34
--	----

D—Volume Supporters.

EXAMPLE X. —A locomotive cylinder.....	34
EXAMPLE XI. —A jet-condenser.....	36
EXAMPLE XII. —A surface-condenser.....	38

SECTION II.—GENERAL SUPPORTERS.**A—Point Supporters.****B—Line Supporters.**53. *Standards.*

EXAMPLE XIII. —The standard of a power hammer.....	39
54. <i>Comparative examples.</i>	

C—Surface Supporters.**a—Plane Supporters.**55. *Frames.*

EXAMPLE XIV. —Locomotive frames.....	45
56. <i>Beds.</i>	

EXAMPLE XV. —A prismatic beam-bed and pedestal.....	48
--	----

D—Volume Supporters.

EXAMPLE XVI. —A tank bed-plate.....	49
--	----

EXAMPLE XVII. —Housing, or chambered frame, for a reversible rolling mill engine.....	51
--	----

CONTENTS.

v

	PAGE
EXAMPLE XVIII. —Housing for a rolling mill	54
EXAMPLE XIX. —A passenger car truck. <i>Practical remarks</i>	56

CLASS II.—RECEIVERS.**A—Point Receivers.****B—Line Receivers.****C—Surface Receivers.****a—Plane Receivers.**

EXAMPLE XX. —Locomotive piston ; with Roth's steam piston packing..	63
EXAMPLE XXI. —Thirty-six, and fifty-four inch pistons.....	67

b—Developable Receivers.

EXAMPLE XXII. —A Fourneyron wheel plan.....	68
--	----

c—Warped Receivers.

EXAMPLE XXIII. —A Jonval turbine wheel and bucket.....	71
---	----

d—Double Curved Receivers.

EXAMPLE XXIV. —The Swain central discharge wheel.....	75
--	----

CLASS III.—COMMUNICATORS.**A—Point Communicators.**

EXAMPLE XXV. —Collins' shaft coupling.....	79
---	----

B—Line Communicators.*Band, Cord, and Chain Wheels.*

THEOREM I. —A rotary motion of two parallel axes may be maintained indefinitely, and in one and the same direction for both, by a band passing directly around cylindrical pulleys in the same plane, on those axes ; but, if the band be crossed, the rotations will be in opposite directions ; but, in both cases, the ratio of the velocities will be constant.....	81
--	----

THEOREM II. —A band should be crossed by giving it a half twist, in a plane perpendicular to that of the wheels which hold it: it should be shifted, laterally, by operating on its advancing side, and if applied to a cone-wheel, will work itself towards the larger end of the cone.....	82
---	----

PROBLEM I. —To connect wheels lying in different planes, by a band ; when the intersection of their planes is also a common tangent to the two wheels.....	84
---	----

PROBLEM II. —To connect band wheels, in different planes, when the intersection of those planes is not a common tangent to the wheels.....	86
---	----